

# CW-1.2K

## DYNAMIC CHECKWEIGHER

### In Line Checkweigher

CW-1.2K is a high-speed, high-precision checkweigher designed for products weighing between 100g and 1.2kg. It features a full touch screen, servo motor drive, and dual photoelectric sensors to ensure accurate and efficient weighing. Its modular design allows easy maintenance and transport, with support for multi-point control and remote communication. Built for reliable performance in fast-paced production lines.

### Key Features

- The CW-1.2K checkweigher is suitable for products ranging in weight from 100g to 1.2kg.
- Offers weighing accuracy within  $\pm 0.5g$ .
- Features a 10-inch touch screen, capable of storing over 1 million transactions with data export via USB.
- Widely used for pouches, bags, bottles, and soft-sided containers in food, pharmaceutical, and packaging industries.

**1200g**

**Maximum Capacity**

**$\pm 0.5g$**

**Accuracy**

**200 Pcs/min**

**Speed**

### Multiple Industrial Applications

- Food & Beverage
- Pharmaceutical & Healthcare Packaging
- Pouch, bag and bottle filling lines
- Chemical & manufacturing
- Packaging & secondary inspection lines
- Automation & high-speed production environments & much more.



# SPECIFICATION SHEET

# CW-1.2K

## Specifications

Model	CW-1.2K
Maximum Capacity	1200g
Scale Division	0.1g
Best Accuracy	±0.5g
Highest Weighing Speed	200 pcs/min
Belt Speed	5-50 m/min
Belt Size	400mmx250mm
Weighing Platform Height	750+100mm/-50mm
Belt Material	PU (White)
Structure of Material	S304 Stainless Steel
Alarm Light	3-Colour Signal Light (Red, Yellow, Green) Optional Buzzer
Display Size	10-inch Colour Touch Screen
Rejector Lineup	Swing, air blow, push, flop, drop type.
Power	Single Phase: AC-220V±10%, 50/60HZ 300W
Operating Temperature	0-40°C
IP Grade	IP54, IP65 Optional



# STRUCTURE & DIMENSIONS

## CW-1.2K

### Low Cabinet

### High Cabinet

